

Metal cable clamps for one or more cables

Our high-quality metal cable clips are the ideal solution for fastening your cable bundles securely and neatly to edges. The clips are attached to edges without the need for time-consuming drilling, welding or gluing. We offer the clips in versions for one or more cables/strands. You can also choose the orientation of the cables in relation to the edge. The rolled edges of the clips prevent damage to the cables when they are pulled through and it is also possible to remove and reinsert the cables at a later date.

Technical data:

Material:

Surface protection:

Colours:

Types:

Possibility of opening:

Cable running direction:

UV resistance:

Corrosion protection:

Standards:

Steel
Zinc-aluminum corrosion protection
metallic/ grey
Single (for one cable/ strand) / Double (for 2 cables) / Multiple (for 2 or more cables)
yes
perpendicular to the edge or parallel to the edge
yes / UV weather-resistant (40+ years)
Maximum weather resistance: Long-lasting protection against red rust thanks to a specialized Dacromet coating
RoHS



Article no.	Profile thickness [mm]	Type	Cable running direction	Cable diameter [mm]	PU [Pcs.]
91602	0,7 – 2,1	Single	perpendicular to the edge	5,7 - 7	100
91603	0,8 – 3,0	Single	perpendicular to the edge	4,5 - 10	100
91601	1,2 – 2,75	Single	parallel to the edge	8	100
91605	1,2 – 2,5	Multiple	perpendicular to the edge	1 cable 6.4–8.1 / 2 cables 7.9–8.1	100
91604	1,5 - 2,0	Double	parallel to the edge	5 - 7	100
91606	1,2 – 2,5	Multiple	parallel to the edge	1 cable 16.0, or up to 4 cables 6.0	100


(Subjekte to technical changes.)

Pictures of the articles can be found from page 2 of this data sheet!


More information at: <https://www.emc-direct.de> / info@emc-direct.de / Telefon: +49 (0)2369 – 98469 -15

Type: single


91602



91603




91601




More information at: <https://www.emc-direct.de> / info@emc-direct.de

Type: double

91605



91606



Type: multiple

91604

